



CONDAIR VITA POWER

Our high-pressure system for precise humidification. Efficient, hygienic and with high operational reliability for demanding applications.

Humidification, Dehumidification
and Evaporative cooling



 **condair**

THE ART OF HUMIDITY



WELCOME TO THE WORLD OF VITA POWER

Vita Power produces germ-free, demineralized water – individually tailored to the existing water values, the required humidity level and the desired water quality.



High-pressure pump

The high-pressure pump (1) generates a pressure that transports the treated water to the high-pressure nozzles, which atomize it and send it into the room. The pump is extremely robust and reliable, with a service interval of 8,000 hours.



Reverse osmosis unit

Through reverse osmosis (2), in which water molecules pass through a special membrane, the water is purified to become pure water. Almost all impurities such as salts, minerals, heavy metals, chemicals and microorganisms are effectively filtered out.



Deionization unit

Ultra-pure water is produced from pure water (RO water) through ion exchange. All residual minerals as well as silicates are filtered out.

In order to make it possible to atomize the ultra-pure water, the very low conductivity of the water must be compensated with CO₂. This step is especially necessary for highly sensitive applications such as clean rooms, electronics production and offices.



UV reactor

In the final step, UV irradiation (3) guarantees complete and permanent sterilization of the inlet water. The high-pressure pump then provides a hydraulic water supply, which ensures fine misting throughout the room.

TELL US ABOUT YOUR INDIVIDUAL NEEDS

Vita Power adapts to your environment – not the other way around. Thanks to modular architecture, various capacity levels and intelligent control technology, each system can be tailored precisely to your processes, requirements and the available space.

Select ...

... the desired humidification capacity

The system can be flexibly expanded and is also suitable for particularly large humidification volumes – be it 100, 300 or 500 liters per hour.

... the right water treatment

Whether you want to use drinking water or existing process water – we will design a system that meets your exact requirements and delivers high-purity water for air humidification in a cost-efficient way.

... the optimal spray heads and nozzle sizes

Our solutions are always planned and implemented according to customer specifications. The extensive portfolio of nozzle sizes and spray heads offers the ideal spray head for every area and every application.





BMS systems and IoT platforms

Vita Power supports the most common BMS systems and offers a state-of-the-art IoT platform with Condair Cloud. For maximum control, remote monitoring and integration into your existing building control system.



 **condair**

FOR LARGE INDUSTRIAL PLANTS AND DEMANDING MANUFACTURING PROCESSES

Vita Power is the scalable high-pressure system for industrial applications with high demands. DGUV-certified¹ easy to maintain and designed for reliable continuous operation with minimum downtime.

Vita Power stands for:

Efficiency and reliability

- Vita Power uses frequency-controlled high-pressure pumps and a precise distribution system to minimize energy consumption (making it up to 90% more efficient).
- High-quality components ensure consistently precise humidification, which in turn ensures process stability and product quality.
- And thanks to first-class service and preventive maintenance, your system will remain efficient and trouble-free for years to come.

Stability and durability

- Specially developed for industrial environments, Vita Power boasts a robust design and long service life.
- The oil-free pumps with an 8,000-hour guarantee and reverse osmosis ensure reliable operation – even under continuous load.
- You can rely on your investment to deliver maximum performance year after year and pay off in the long term.

Process safety and occupational safety

- The DGUV-certified system¹ with microbiological filtration and integrated UV sterilization guarantees fresh and hygienic water.
- Cutting-edge technology prevents legionella and other microorganisms, ensuring the necessary safety for your application.
- The stabilized humidity prevents static build-up, which ensures consistent production quality while also increasing employee safety.

Individuality and scalability

- Vita Power stands for optimum scalability and is available in capacities up to 500 l/h.
- The modular system allows precise adaptation to your individual needs.
- Thanks to compatibility with BMS and IoT platforms, operation can be monitored and controlled efficiently.

Vita Power at a glance

- Robust and powerful
- High-quality components
- DGUV-certified¹ hygiene
- Individual scalability
- High efficiency and reliability

¹The Condair Vita Power high pressure system is available in various models for different applications and with three different capacities (100 l/h, 300 l/h and 500 l/h).

The validity and scope of the certification depend on the model variants, installation type and country-specific requirements. Your regional sales partner will be happy to advise you if you have any further questions.

HIGH STANDARDS– NOT JUST FOR FOR HUMIDIFICATION

Choosing the right spray heads is crucial for perfect humidification. The Vita Sky Spray heads ensure the ideal humidification performance while minimizing water consumption.



Condair Vita Sky S

Stylish and quiet for the best air quality

The innovative high-pressure spray head system, which was specially developed for offices, medical practices and applications requiring small quantities – for very quiet and micro-fine misting.

Capacity

Up to 1.5 liters per hour

Technical information

- One nozzle
- Suitable for ring line
- 24 V supply voltage
- With high-quality ceiling mounting on request

Application examples

Offices, medical practices, museums, laboratories

Condair Vita Sky M

More power in offices and industry

The versatile and powerful high-pressure spray head system that ensures a perfect climate in offices and industrial environments. With its flexible mounting options and the choice of nozzle types, the system can be precisely adapted to your needs.

Capacity

Up to 5 liters per hour

Technical information

- Up to two nozzles
- Compatible with ring and string line
- 24 V supply voltage
- With high-quality ceiling mounting on request

Application examples

Print shops, packaging industry, electronics industry, offices

Condair Vita Sky T

Double the power for industrial applications

The most powerful of the Vita Sky spray heads ensures an even higher humidification capacity in demanding environments. The system combines two Sky-M spray heads to ensure optimized humidity in industrial plants. Thanks to its compact design and flexible mounting options, it can be easily adapted to your requirements.

Capacity

Up to 10 liters per hour

Technical information

- Two Sky-M spray heads
- Compact with up to two nozzles
- Compatible with ring and string line
- 24 V supply voltage
- With high-quality ceiling mounting on request

Application examples

Print shops, packaging industry, electronics

NOZZLE AND MOUNTING OPTIONS FOR VITA SKY

Condair Vita Sky M and Vita Sky T are also available with 2 nozzles.



Simple ceiling mounting



Premium ceiling mounting



Wall mounting (for Vita Sky T or two heads)



Simple wall mounting (for one head)



Vita Sky M1



Vita Sky M2 (two nozzles)

ADDITIONAL SPRAY HEADS TO MEET EVERY REQUIREMENT

Do you have large industrial halls or particularly small rooms that need humidifying? No problem! Our range of Vita spray heads covers capacities from a whisper-quiet 0.9 liters/hour to an impressive 52 liters/hour. Together, we will find the perfect solution.



Condair Vita Space

Maximum capacity for industrial applications

Impressive capacity and robust construction for maximum performance. Flexible mounting on walls or ceilings allows easy integration into existing production facilities.

Capacity

Up to 52 liters per hour

Technical information

- Up to 8 nozzles
- String line
- Wall and ceiling mounting

Application examples

Print shops, paper and packaging industry, electronics, automotive industry, aviation

Condair Vita Stream

Powerful performance for large spaces

The ideal solution for medium-sized high-tech production plants. Features high performance and flexible mounting options.

Capacity

Up to 36 liters per hour

Technical information

- 8 nozzles
- Compatible with ring and string lines
- 120 V or 230 V supply voltage
- Ceiling mounting with chains or ropes

Application examples

Print shops, paper and packaging industry, electronics, automotive industry, aviation

Condair Vita Line

Strong and sturdy

Stands up to the challenge even in difficult and harsh environments. Thanks to the ability to expand the number of nozzles without limitation, the system can be perfectly adapted to the requirements of high-bay warehouses and very dusty environments, for example.

Capacity

Flexible, depending on requirements

Technical information

- Unlimited number of nozzles can be added
- Wall or ceiling mounting
- Customer-specific configuration for plenum spaces

Application examples

High-bay warehouses, dusty environments, plenum spaces





PUT YOUR TRUST IN PRECISE, STABLE PROCESSES AND SAFE STANDARDS

Whether in print shops, in the electronics industry or in food processing – with Vita Power you can create the ideal conditions for quality, hygiene and process reliability. The scalable system with on-site service adapts to your needs – reliable, certified and cost-effective to operate.



For everything that matters to you:

Paper, printing and packaging industry

Reduced paper deformation, consistent print quality and higher production speeds thanks to optimum humidity.

Electronics and semiconductor industry

Reliable humidification protects against static electricity and improves the manufacturing quality of sensitive components.

Food industry

Hygienic conditions and precise humidity control to comply with standards and protect product quality.


Automotive industry and aviation

Stable humidity in production maximizes process reliability and quality for vehicle and aircraft components.

Wind power

Precise humidity prevents dangerous static charges and creates safe conditions for constant production.





The benefits at a glance

- Higher manufacturing quality
- Greater process stability
- Improved product quality
- First-class service
- Cost-efficient maintenance

The Condair Vita Power high pressure system is available in various models for different applications and with three different capacities (100 l/h, 300 l/h and 500 l/h).

The validity and scope of the certification depend on the model variants, installation type and country-specific requirements. Your regional sales partner will be happy to advise you if you have any further questions.



condair

SERVICE, CONTROL AND MONITORING

Our first-class service includes regular maintenance and precise hygiene tests, while Condair Cloud guarantees maximum control and predictability for our systems – anytime, anywhere.

Service and maintenance

With predictable service intervals, the use of original wear parts and preventive maintenance measures, we ensure consistently high plant availability – even under the most demanding industrial conditions.

Monitoring, control and analysis

Thanks to BMS and Condair Cloud, operating data is always available, maintenance work can be planned and hygiene standards can be monitored digitally. This allows anomalies to be detected at an early stage and service call-outs to be planned efficiently. In addition, the system can be conveniently controlled via the Condair Connect app and provides an overview of current values and messages—no matter where you are.

Hygiene and safety


It goes without saying that all services satisfy the most stringent hygiene and safety standards – certified according to DGUV, CE, IE3, PED, HACCP and UL1



Choose your service package:

Service package	Plus	Professional	Premium
On-site system and equipment maintenance	✓	✓	✓
Remote monitoring	✓	✓	✓
Service for repairs and trouble-shooting		✓	✓
Spare parts and consumables			✓

TECHNICAL DATA



Vita Power in your company

- High-pressure system for demanding requirements
- Greater process stability and occupational safety
- Individual scalability and maximum control
- DGUV-certified hygiene¹
- The perfect spray heads for every application

The Condair Vita Power high pressure system is available in various models for different applications and with three different capacities (100 l/h, 300 l/h and 500 l/h).

The validity and scope of the certification depend on the model variants, installation type and country-specific requirements. Your regional sales partner will be happy to advise you if you have any further questions.

Available models:

RO-DI-CO-UV-HP
RO-UV-HP
UV-HP

Water treatment units:

RO = Reverse osmosis unit
DI = Deionization unit
CO₂ = CO₂ unit
UV = UV reactor
HP = high pressure unit

Technical details	Vita Power 100 l/h	Vita Power 300 l/h	Vita Power 500 l/h
Max. hydr. power	100 l/h	300 l/h	500 l/h
Permissible input pressure	2.5-4 bar		
Operating pressure	RO-DI-CO-UV-HP / RO-UV-HP / UV-HP 50-70 bar		
Dimensions (H x W x D)	RO-DI-CO-UV-HP		
	1620 x 950 x 750 mm	1620 x 1100 x 750 mm	1620 x 1100 x 750 mm
	RO-UV-HP		
	1620 x 750 x 750 mm	1620 x 950 x 750 mm	1620 x 950 x 750 mm
	UV-HP		
	1300 x 550 x 750 mm		
Operating voltage	400 V / 3PH / 50 Hz for CE / 208 V / 3PH / 60 Hz for UL		
Electrical output	RO-DI-CO-UV-HP / RO-UV-HP		
	1480 VA / 2.1 A (400 V) 1480 VA / 4.1 A (208 V)	2610 VA / 3.8 A (400 V) 2610 VA / 7.2 A (208 V)	2960 VA / 4.3 A (400 V) 2960 VA / 8.2 A (208 V)
	UV-HP		
	1100 VA / 1.6 A (400 V) 1100 VA / 3.1 A (208 V)	1860 VA / 2.7 A (400 V) 1860 VA / 5.2 A (208 V)	1860 VA / 2.7 A (400 V) 1860 VA / 5.2 A (208 V)
Sound pressure level	RO-DI-CO-UV-HP / RO-UV-HP / UV-HP 74 dB (A)		
Weight (guide values)	RO-DI-CO-UV-HP		
	215 kg	280 kg	280 kg
	RO-UV-HP		
	145 kg	210 kg	210 kg
	UV-HP		
	85 kg	90 kg	90 kg



ANY QUESTIONS?

Please contact us at any time if you require further information.

Condair GmbH
Nordportbogen 5
22848 Norderstedt
Germany
Phone: +49 40 853277-0
E-Mail: en.info@condair.com
Internet: www.condair.de/en

Condair GmbH

Nordportbogen 5
22848 Norderstedt
Germany

Phone: +49 40 853277-0

E-Mail: en.info@condair.com

Internet: www.condair.de/en

